

Intelligent Agents

Readings: Chapter 2 of
Russell & Norvig.

AI is pretty hard stuff

I went to the grocery store, I saw the milk on the shelf and I bought it.


What did I buy?

- The milk?
- The shelf?
- The store?

An awful lot of knowledge of the world is needed to answer simple questions like this one.

Agents and Environments

An agent is a system that **perceives** its environment through **sensors** and **acts** upon that environment through **effectors**.



Agents include humans, robots, softbots, thermostats, etc.

Agents as Mappings


An agent can be seen as a mapping between percept sequences and actions.

$$\textit{Agent} : \textit{Percept}^* \longrightarrow \textit{Action}^*$$

The less an agent relies on its built-in knowledge, as opposed to the current percept sequence, the more **autonomous** it is.

A **rational agent** is an agent whose acts try to maximize some **performance measure**.

Vacuum-cleaner world



Percepts: location and contents, e.g., $[A, Dirty]$

Actions: *Left*, *Right*, *Suck*, *NoOp*

A vacuum-cleaner agent

Percept sequence	Action
<i>[A, Clean]</i>	<i>Right</i>
<i>[A, Dirty]</i>	<i>Suck</i>
<i>[B, Clean]</i>	<i>Left</i>
<i>[B, Dirty]</i>	<i>Suck</i>
<i>[A, Clean], [A, Clean]</i>	<i>Right</i>
<i>[A, Clean], [A, Dirty]</i>	<i>Suck</i>
⋮	⋮

```
function REFLEX-VACUUM-AGENT( [location, status]) returns  
action  
  
  if status = Dirty then return Suck  
  else if location = A then return Right  
  else if location = B then return Left
```

More Examples of Artificial Agents

Agent Type	Percepts	Actions	Goals	Environment
Medical diagnosis system	Symptoms, findings, patient's answers	Questions, tests, treatments	Healthy patient, minimize costs	Patient, hospital
Satellite image analysis system	Pixels of varying intensity, color	Print a categorization of scene	Correct categorization	Images from orbiting satellite
Part-picking robot	Pixels of varying intensity	Pick up parts and sort into bins	Place parts in correct bins	Conveyor belt with parts
Refinery controller	Temperature, pressure readings	Open, close valves; adjust temperature	Maximize purity, yield, safety	Refinery
Interactive English tutor	Typed words	Print exercises, suggestions, corrections	Maximize student's score on test	Set of students

Rationality

- What is the **right** function?
- Can it be implemented in a small agent program?
- Fixed **performance measure** evaluates the **environment sequence**
 - one point per square cleaned up in time T ?
 - one point per clean square per time step, minus one per move?
 - penalize for $> k$ dirty squares?
- Rational \neq omniscient
- Rational \neq successful
- Rational \implies exploration, learning, autonomy

Rational Agents

The *rationality* of an agent depends on

- the **performance measure** defining the agent's degree of success
- the **percept sequence**, the sequence of all the things perceived by the agent
- the agent's **knowledge** of the environment
- the **actions** that the agent can perform

For each possible percept sequence, an **ideal** rational agent does whatever possible to maximize its performance, based on the percept sequence and its built-in knowledge.

PEAS

- To design a rational agent, we must specify the **task environment**
- Consider, e.g., the task of designing an automated taxi:
 - Performance measure??
 - Environment??
 - Actuators??
 - Sensors??

PEAS for an Automated Taxi

- The task of designing an automated taxi:
 - Performance measure?? safety, destination, profits, legality, comfort, ...
 - Environment?? US streets/freeways, traffic, pedestrians, weather, ...
 - Actuators?? steering, accelerator, brake, horn, speaker/display, ...
 - Sensors?? video, accelerometers, gauges, engine sensors, keyboard, GPS, ...

Internet shopping agent

- Performance measure??
- Environment??
- Actuators??
- Sensors??

Environment Types

With respect to an agent, an environment may, or may not, be:

- **accessible:** the agent's sensors detect all aspects relevant to the choice of action;
- **deterministic:** the next state is completely determined by the current state and the actions selected by the agent;
- **episodic:** the agent's experience is divided into "episodes"; the quality of the agent's actions does not depend on previous episodes;
- **static:** it does not change while the agent is deliberating;
- **discrete:** there are a limited number of distinct, clearly defined percepts and actions.

Environment Types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>				
<u>Deterministic??</u>				
<u>Episodic??</u>				
<u>Static??</u>				
<u>Discrete??</u>				
<u>Single-agent??</u>				

Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>				
<u>Episodic??</u>				
<u>Static??</u>				
<u>Discrete??</u>				
<u>Single-agent??</u>				

Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>	Yes	No	Partly	No
<u>Episodic??</u>				
<u>Static??</u>				
<u>Discrete??</u>				
<u>Single-agent??</u>				

Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>	Yes	No	Partly	No
<u>Episodic??</u>	No	No	No	No
<u>Static??</u>				
<u>Discrete??</u>				
<u>Single-agent??</u>				

Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>	Yes	No	Partly	No
<u>Episodic??</u>	No	No	No	No
<u>Static??</u>	Yes	Semi	Semi	No
<u>Discrete??</u>				
<u>Single-agent??</u>				


Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>	Yes	No	Partly	No
<u>Episodic??</u>	No	No	No	No
<u>Static??</u>	Yes	Semi	Semi	No
<u>Discrete??</u>	Yes	Yes	Yes	No
<u>Single-agent??</u>				

Environment types

	Solitaire	Backgammon	E-shopping	Taxi
<u>Observable??</u>	Yes	Yes	No	No
<u>Deterministic??</u>	Yes	No	Partly	No
<u>Episodic??</u>	No	No	No	No
<u>Static??</u>	Yes	Semi	Semi	No
<u>Discrete??</u>	Yes	Yes	Yes	No
<u>Single-agent??</u>	Yes	No	Yes/No	No

Environment types: Vacuum-Cleaner



Percepts: location and contents, e.g., [*A*, *Dirty*]

Actions: *Left*, *Right*, *Suck*, *NoOp*

	Real World	Simplified World
<u>Observable??</u>		
<u>Deterministic??</u>		
<u>Episodic??</u>		
<u>Static??</u>		
<u>Discrete??</u>		
<u>Single-agent??</u>		

Environment types

The environment type largely determines the agent design

The real world is (of course)

- partially **observable**,
- stochastic (instead of **deterministic**),
- sequential (instead of **episodic**),
- dynamic (instead of **static**),
- continuous (instead of discrete),
- multi-agents (instead of **single-agent**).

Agent Programs

Since an agent is just a mapping from percepts to actions, we can design a program to implement this mapping.

An agent program could be as simple as a table lookup. However:

- that might be impossible ^a
- there might be a much more efficient solution
- the agent would have no autonomy

^a A chess playing agent, for instance, would need 35^{100} table entries.

Different Types of Agents


Agents programs can be divided in the following classes, with increasing level of sophistication:

- Simple reflex agents
- Goal-based agents
- Utility-based agents
- Learning agents

A Reflex Taxi-Driver Agent

- We cannot implement it as a table-lookup: the percepts are too complex.
- But we can abstract some portions of the table by coding common input/output associations.
- We do this with a list of **condition/action rules**:
 - if *car-in-front-is-braking* then *brake*
 - if *light-becomes-green* then *move-forward*
 - if *intersection-has-stop-sign* then *stop*

Simple Reflex Agents




Reflex agents can be implemented very efficiently.

However, they have limited applicability.

Reflex Taxi-Driver Agent with State

- Often, the agent must remember some of its percepts to take an action.
Ex: car in front signals it is turning left.
- It must also remember which actions it has taken.
Ex: loaded/unloaded passenger.
- In jargon, it must have internal **state**.

Reflex Agents with Internal State



Reflex Taxi-Driver Agent with State


To update its state the agent needs two kinds of *knowledge*:

1. how the world evolves independently from the agent;
Ex: an overtaking car gets closer with time.
2. how the world is affected by the agent's actions.
Ex: if I turn left, what was to my right is now behind me.

A Goal-based Taxi-Driver Agent

- Knowing about the world is not always enough to decide what to do.
Ex: what direction do I take at an intersection?
- The agent needs **goal** information.
Ex: passenger's destination
- Combining goal information with the knowledge of its actions, the agent can choose those actions that will achieve the goal.
- A new kind of decision-making is required (“what-if reasoning”).
- **Search** and **Planning** are devoted to find action sequences that achieve an agent's goal.

Goal-based Agents




Goal-based Agents are much more flexible in

- responding to a changing environment;
- accepting different goals.

Utility-based Taxi-Driver Agent

- There may be many ways to get to a destination but some may be *better* than others.
Ex: this way is faster/cheaper/more comfortable/...
- A particular configuration of the world, a **world state**, can be assigned a **utility** (the quality of being useful) value for the agent.
- A sequence of actions is preferred if it leads to a goal state with higher utility value.
- A **utility function** helps the agent's decision-making in case of
 1. conflicting goals (by helping find a trade-off).
Ex: minimize trip time and also fuel consumption.
 2. several possible goals, none of which is achievable with certainty.

Utility-based Agents



Learning Agents

