

Generating Lists



MARCH 10TH, 2014

Generating lists



- Python has a built-in function called `range` that allows us to generate lists using *arithmetic progressions*.
- It can have one, two, or three arguments, all of which must be integers.

```
>>> range(10)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
>>> range(3, 11)
[3, 4, 5, 6, 7, 8, 9, 10]
>>> range(0, 30, 5)
[0, 5, 10, 15, 20, 25]
>>> range(0, 10, 3)
[0, 3, 6, 9]
>>> range(0, -10, -1)
[0, -1, -2, -3, -4, -5, -6, -7, -8, -9]
>>> range(0)
[]
>>> range(1, 0)
[]
```

The range function is useful in for-loops



```
for i in range(1, 10, 2):  
    print i*i
```

- Repeats the execution of the body of the for-loop for each value of $i = 1, 3, 5, 7,$ and 9 .
- Equivalent to

```
i = 1  
while i < 10:  
    print i*i  
    i = i + 2
```

- But more convenient for simple loops because no need to initialize before loop and no need to update within loop.

More examples of for-loops



```
L = ["hello", "hi", "bye"]  
for e in L:  
    print e + e
```

```
s = "What is this sentence?"  
for ch in s:  
    print ch
```

Generating Lists: Initialization



- Here is another useful way of generating lists , particularly for initializing them, i.e., assign them “initial” values at the start of a program.

Example:

$$n = 25$$
$$L = [8]*n$$

This assigns to L a list of length 25 consisting of the integer 8.

Accessing slices of lists and strings



```
L = ["hi", 10, "bye", 100, -20, 123, 176, 3.45, 1, "it"]
```

"hi"	10	"bye"	100	-20	123	176	3.45	1	"it"
↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
0	1	2	3	4	5	6	7	8	9

Examples:

- `L[2:5]` is `["bye", 100, -20]`
- `L[:2]` is `["hi", 10]`
- `L[4:4]` is `[]`
- `L[4]` = `-20`
- `L[:len(L):2]` = `["hi", "bye", -20, 176, 1]`
- `L[2:5][1]` = `100`
- `L[1:5][:2]` = `[10, "bye"]`

Slice Notation



- The basic notation

`L[start:end]` # sublist with items indexed start through end - 1

`L[start:]` # sublist with items indexed start through end of list

`L[:end]` # sublist with items from the start of the list through index end-1

`L[:]` # a copy of the original list

- The notation can also be used with a third parameter, step.

`L[start:end:step]` # sublist with items indexed start, not past end, in increments of step

- Step can also be negative, in which case the elements are listed in reverse order

Problem



- Read a positive integer n and roll two n -sided dice a million times and output the distribution of the sums.
- In other words,
 - the number of times 2 appears as the sum,
 - the number of times 3 appears as the sum,
 - the number of times 4 appears as the sum,
 - ...
 - the number of times $2n$ appears as the sum.

rollDistribution.py



```
# Programmer: Sriram Pemmaraju  
# Date: 2/29/2012
```

```
# This program rolls a pair of n-sided dice a million times and reports the frequency of each outcome.  
# An outcome is the sum of the two numbers that appear on the top face of the two dice. Note that for  
# a pair of n-sided dice, the outcomes will be in the range 2..2n.
```

```
import random
```

```
n = int(raw_input("Please type the number of sides in your dice."))
```

```
L = [0]*(2*n+1) # Creates a list of length 2*n+1 with all elements of the  
               # list initialized to 0
```

```
for i in range(1000000):
```

```
    # Roll the two n-sided dice and record the outcome  
    outcome = random.randint(1, n) + random.randint(1, n)
```

```
    # L[outcome] stores the number of times outcome has appeared  
    # So this element in the list needs to be incremented  
    L[outcome] = L[outcome] + 1
```

```
#Report the contents of slots 2, 3, ...  
print L[2:]
```